





# REGAL

ULTIMATE HYDROSTATIC LARGE AREA MOWER

## REGAL - ULTIMATE HYDROSTATIC LARGE AREA MOWER



The Allett Regal is regarded by groundsmen around the world as the ultimate large-area dedicated cylinder mower suitable for cricket pitches, sports grounds and other large open grass areas. The Regal is acclaimed for its build quality, work rate and ease of operation. With hydrostatic forward and reverse drive, the machine boasts infinitely variable mowing speeds with variable clips per metre.

Power steering with independent braking provides the Regal with exceptional control and turning ability, ensuring you get the job done as easily and quickly as possible. The Regal mower has recoil or electronic start and a cutting width of 914mm/36" or 1067mm/42" making this mower perfect for parks, rugby or football stadiums and cricket grounds.

The machine is also compatible with the trailing seat meaning that it's the prime choice when it comes to precision mowing, creating sharp and defined stripes on your turf and the ability to mow at speeds greater than walking pace. The rear roller is in three sections and is rubber covered for good traction and silent running over hard surfaces. Internally, the rear roller is fitted with hardened steel differential gears.

- **Regarded by groundsmen as the ultimate large-area dedicated cylinder mower**
- **Hydrostatic drive produces infinitely variable travel speeds and cuts per metre**
- **Widest walk-behind cylinder mower in the world at 42 inches**
- **Extra large grass box**
- **Heavyweight machine for level surfaces and strong striping**

	REGAL 36	REGAL 42
Working width	914mm (36in)	1,067mm (42in)
Overall width	1,118mm (44in)	1,270mm (50in)
Engine	Honda GX340	
Power output (net)	8kW (10.7hp) @ 3,600 rpm	
Transmission	Eaton Model 11 hydrostatic drive (forward and reverse)	
Steering	Power-assisted, independent lever-operated	
Cutting cylinder	159mm (6.25in) diameter with 6 blades and greaseable bearings	
Height of cut	Adjustable from 6.5mm to 44.5mm (¼in to 1¾in)	
Clip rate	Variable to suit surface requirements	
Cylinder engagement	Handle-mounted lever engaging triple V belts via rods	
Rear roller	Three-piece rubber-covered steel roller with sealed spur gear differential	
Front roller	All-steel with sealed end-bearings	
Handlebar	Adjustable with anti-vibration mountings (optional accessories)	
Grassbox	Moulded plastic lift and tip with steel reinforcing strip	
Weight	352kg (702lb)	376kg (744lb)
Overall height	1,016mm (40in)	
Overall length	2,083mm (82in)	
Optional accessories	AFK295 Regal Enhanced vibration dampening kit TS100/1 Trailing seat	



Scan this QR code to see a video of this product in action- see back page for details.