

G660, G760 and G860

Superior construction you can trust everyday

This popular machine is to be found at many of the best football and rugby stadia, racecourse parade rings, athletics tracks and on the lawns of many famous houses across the country, and now around the world.



Features include the quick change cassette system giving ultimate flexibility and a single power unit solution for many day to day maintenance tasks such as scarifying, verti-cutting and brushing.

This versatility coupled with low ground pressure and manoeuvrability makes the machine the first choice for a wide range of conventional and modern sand based turf construction systems.

Unique features of the Dennis G-Series mower:

- Open construction means superior sight lines for accurate line up of mower
- Cast 3 section aluminium ribbed roller for positive traction in all conditions and mark free turning
- Rubber covered rear roller option
- Low vibration handlebars
- Large diameter front roller with adjustable scraper for precision height of cut control
- Grooved Weile roller with comb now an option
- Honda power – ultimate easy start long life engine with Q9 low noise low vibration technology
- 13 quick change cassette options



Easy and comfortable to operate controls incorporating parking brake and all the latest safety features



Adjustment of cylinder to bottom blade easy and positive with a single spanner



Precise height of cut control which easily adjusts on both sides with a single spanner

MODEL CHOICE	G660 Power Unit D055H	G760 Power Unit D053H	G860 Power Unit D054H
Cutting width	660mm (26")	760mm (30")	860mm (34")
Height of cut <i>(subject to conditions)</i>	9mm – 56mm	9mm – 56mm	9mm – 56mm
Engine	Honda GX160	Honda GX160	Honda GX200

For details of cassettes go to PAGE 22-23. FULL SPECIFICATION AVAILABLE ON www.dennisuk.com

Optional extras

Rubber coated rear roller (for power unit) in lieu of standard
G760 – D053/R G860 – D054/R



Hi comfort fully adjustable trailer seat

Suspension trailer seat D025/S
Self steer suspension seat D025/SRG



Weile roller with comb

G660 D055/WR
G760 D053/WR
G860 D054/WR



Transport carrier prevents roller damage

G660 D055TC
G760 D053TC
G860 D054TC

G-Series easy change cassettes

CASSETTES	G660	G760	G860	
6 bladed cylinder High quality British steel blades in a single spiral format. Incorporating easy to set cutter adjustment.	D055/1	D053/1	D054/1	
8 bladed cylinder High quality British steel blades in a single spiral format. Incorporating easy to set cutter adjustment.	D055/7	D053/7	D054/7	
11 bladed cylinder High quality British steel blades in a single spiral format. Incorporating easy to set cutter adjustment.	D055/9	D053/9	D054/9	
1mm scarifier 1mm thick replaceable, wear resistant blades. 12mm spacing for thatch removal throughout season and autumn/spring renovation work.	D055/3	D053/3	D054/3	
2mm scarifier 2mm thick replaceable, wear resistant blades. 12mm spacing for thatch removal throughout season and autumn/spring renovation work.	D055/4	D053/4	D054/4	
2mm scarifier tungsten tipped The ultimate scarifier with tungsten tipped blades for heavy duty thatch removal throughout season and autumn/spring renovation work.	D055/4TT	D053/4TT	D054/4TT	
Brush – soft bristle For moss and debris removal and use as a light scarifier for final pre cut preparation.	D055/5 soft	D053/5 soft	D054/5 soft	
Brush – hard bristle For moss and debris removal and use as a light scarifier for final pre cut preparation.	D055/5 hard	D053/5 hard	D054/5 hard	
Brush – multi dense For moss and debris removal and use as a light scarifier for final pre cut preparation.	D055/5 multi	D053/5 multi	D054/5 multi	
Verti-cutter 1mm thick, 10 fingered replaceable discs. Regular use controls thatch, lateral growth and the ingress of unwanted species such as annual meadow grass.	D055/2	D053/2	D054/2	
Verti-cutter tungsten tipped Gives extra durability for heavy usage.	D055/2TT	D053/2TT	D054/2TT	
Sorrel roller Replaceable spikes relieves surface tension and allows penetration of air, water and fertiliser to the root zone.	D055/6	D053/6	D054/6	
Spring Tine Rake Ideal for lifting lateral growth, helping to stand grasses up, removing dead matter or broken leaves following a match. Also helps to break up algae crust or help remove the glutinous slime that can sometimes appear on fine turf.	D055/11	D053/11	D054/11	

Dennis was the original manufacturer of the interchangeable cassette system and has many years experience supplying:

- In excess of 4000 machines to the grounds care industry
- A system that once purchased, can be enhanced with additional cassettes as budget allows
- Maximum machine versatility
- Single power unit optimisation
- Easy to clean cassettes
- A system designed to meet the needs of the professional whether full time grounds men, greenkeepers or club volunteers

The system allows:

- Cassettes to be changed over in approximately 60 seconds
- Minimal inventory
- Cassettes to be stored separately from the power unit providing improved security
- Reduced maintenance costs
- Easy transportation of the cassettes for servicing or grinding
- All wearing parts can be replaced

Optional Cassette Stand

Storage unit suitable for 4 cassettes



SPECIFICATION

Number of cassettes	4
Cassette stand	D125

How To Change A Cassette



Loosen retaining bolt and slide cassette across



Extract cassette



Insert new cassette onto front unit bearing stud



Lower cassette onto back tie bar and slide cassette across



Tighten retaining bolt

"I have used other mowers that copied the cassette system employed by Dennis, but none have come close to it in terms of performance and the quality of the aesthetically pleasing striped finish on the turf."

Jonathan Calderwood – Head Groundsman – Paris St Germain FC